



T15

扩音器

Operation Manual 使用说明书

更多产品请登入 WWW.aporo.cn For more products, please visit www.aporo.cn

前言 Preface

Hello!

尊敬的用户: Distinguished users: 您好!

欢迎您使用APORO数码产品! Welcome to use APORO digital products!

APORO数码产品将以高科技的品质和优良的服务进入您的工作和生活,您一旦拥有,就会真切的感受到它的卓越性能和优良品质,让您时刻都能享受生活的轻松愉快。APORO digital products will enter your work and life with the quality of High-tech and excellent service. Once you have it, you will truly feel its excellent performance and excellent quality, so that you can enjoy the relaxed and pleasant life all the time.

警告:如果电池使用不当会有爆炸危险,只能用同样类型或等效类型的电池来更换! Warning: If the battery is not used properly there is a risk of explosion, it can only be replaced with the same type or equivalent type of battery to replace! 注意 Be careful

本手册描述的产品及其附件的某些特征和功能,仅供参考。
Some of the features and functions of the product and its accessories described in this manual are for reference only.

本公司保留随时修改本手册中任何信息的权利,无需进行任何提前通知且不承担任何责任。 The Company reserves the right to amend any information in this Manual at any time without any prior notice and no liability.

无担保声明 Unsecured declaration

本手册中的内容,除非适用法律要求,本公司对手册中的所有内容不提供任何明示或暗示的保证,包括但不仅限于适销售或者使用于某特定目的的保证。 The contents of this manual, unless required by applicable law, do not provide any express or implied warranty to all contents of the manual, including, but not limited to, warranties suitable for sale or use for a particular purpose. 在法律允许的范围内,本公司在任何情况下,都不对因使用本手册相关内容而产生的任何特殊的、附带的、间接的、继发性的损害进行赔偿,也不对任何利润、数据、商誉或可预期的损失进行赔偿。

To the extent permitted by law, the Company shall not in any case compensate for any special, incidental, indirect or secondary damage arising from the use of the relevant contents of this Manual, nor shall any profit, data, goodwill or foreseeable loss be compensated.

进出口管制 Import and export control

若需将此产品手册中描述的产品出口、再出口、或者进口,您应遵守适用的进出口管制法律法规。
To export, re-export, or import the products described in this product manual, you should comply with the applicable import and export control laws and regulations.

## 产品操控示意图 Product control diagram



- ① 模式
- Mode ② 上一曲 Last song
- ③ 暂停/播放 Pause / play
- ④ 下一曲 Next song
- S 麦克风插孔
- MIC ⑥ 充电口
  - Charging port
- ⑦ U盘插口 U disk socket
- ® TF卡插口
- TF card Jack ⑨ 电源开关/音量旋钮
  - ジ 电源弁大/盲重旋钮 Power switch/Volume control

Method of use 1:将包装内的主机取出,用腰带扣子扣住主机背面两边圆孔,通过腰带把主机系在腰上或挂在肩 上,可调节腰带让主机处于腰间适合位置。

使用方法

Take out the main machine in the package, fasten the round hole on both sides of the back of the main machine with belt buckle, tie the main machine on the waist or hang on the shoulder through the belt, can adjust the belt to let the main machine be in the

suitable position between the waist. 2:把头戴麦戴干头上,调节好麦克风位置,最好离嘴前方1-2CM处,把头戴麦克风另一端3.5插头 插入主机上方麦克风插孔内; Put the head on the head, adjust the microphone position, it is best to leave the mainframe microphone Jack;

操作方式 Operation mode 1:扩音 Sound Amplification

将电源开关键旋转到"开"状态,当听到"咔"的一声即表示已接通电源,此时表示机器可以正常 使用,插入本机标配麦克风致"话筒"插口,系统则自动,默认为扩音状态,注意:在任意功能 棋式下,按下"暂停"键,其他功能将会停止,扩音效果将会更加出色,如果调至最大声音时产

牛啸叫可杷耳麦和机器的距离拉开些,建议咪头与嘴巴的距离为1厘米左右最佳。

mouth in front of the 1-2CM, the other end of the head microphone 3.5 plug into the

Turn the power on key to the "on" state. When you hear the sound of "ka", it means that the power supply has been turned on. At this time, it means that the machine can be used normally and inserted into the "microphone" socket caused by the standard microphone of the local machine. The system automatically, by default, is in the state

of amplifying. Note: Under any function, press the "pause" button, and other functions will stop, and the amplifying effect will be even better. If you turn it to the maximum sound, the distance from the machine will be pulled away. It is recommended that the distance between head and mouth is about 1 cm. 2:模式键(M键) Mode key (M) 此键具备模式切换功能,在插有U盘或者TF卡时可通过长按模式键短按来对U盘/TF卡/扩音/之间

切换,按模式键可以收音。在播放音乐时,长按模式键2秒左右,可以实现单曲循环和全部循环 的切换。 This key has the function of mode switching. When there is a U disk or TF card, you can switch between the U disk / TF / SP/ by pressing the long and short press mode key. When playing music, long press the mode key about 2 seconds to realize the single

loop and the whole cycle switch. 3. TF/U盘播放 TF/ U disk playback

按照机身标识的方向将TF卡/U盘正确插入TF卡/U盘柄后,按M键调整至音频模式,即可正常播放 TF卡/U盘中的音频文件

After correctly inserting TF card / U disk into TF card / U disk in accordance with the direction of fuselage identification, press M key to integrate into audio mode and play audio files in TF card / U disk normally.

## 4、充电

Charge 当机器需要充电式,将标配的USB充电线较小的一端插入机身mirco USB充电口,另外较大的一端插入电脑或者USB充电头的USB口即可充电。USB充电头要求为5V,500-1000mA,单次充电时间建议为4-6小时。

When the machine needs to charge, plug the smaller end of the standard USB charging line into the mirco USB charging port of the fuselage, and plug the larger end into the computer or USB port of the USB charger. The USB charge head is required to be 5V, 500-1000mA, and the recommended time for single charge is 4 to 6 hours. 注意:第一次使用主机时,电池有小部分电量,但为了达到最好的效果,建议先充满电再使用。

achieve the best results, it is recommended that the battery be fully charged before it can be used.

5. 上一曲(播放音乐时长按上一曲键可以实现快退)
Last song (long click on the key when playing music to achieve fast retreat)

Note: For the first time, the battery has a small amount of power, but in order to

Last song (long click on the key when playing music to achieve fast retreat)

6、下一曲(播放音乐时长按下一曲键可以实现快退) The next song (the music can be played long by pressing the key to a quick retreat) Product selling point 本产品集扩音,数码音乐播放,功能于一体的多功能便携式扩音器 This product is a multifunctional portable loudspeaker with sound amplifying, digital music playing function.

产品卖点

2. 采用讲口大功率功放芯片和先讲的离保直扩音主控 Imported high-power amplifier chip and advanced off-fidelity amplifier master control

4、配置高容量、高安全性的环保A级18650规格锂电池

3、使用大功率喇叭,声音效果清晰响亮,覆盖传输范围广

Using high-power speakers, the sound effect is clear and loud, covering a wide range of transmission.

High capacity, high safety, environmental protection class A 18650 lithium battery

数据参数 Data parameter

to 11175 777

制出切率	1200		50HZ-15000HZ	
输出阻抗	2Ω	工作温度	-10°C-45°C	
充电电压	DC 5V 1A	使用扩音时间	8-12小时	
使用音乐时间	6-8小时	充电时间	4-6小时	
Output power	12W	Frequency response	50HZ-15000Hz	
Output impedance	2 Ω	Working temperature	-10°C-45°C	
Charging voltage	DC 5V 1A	Use of amplification time	8-12 Hours	
Use music time	6-8 Hours	Charging time	4-6 Hours	

PERMINE NO.

EQUIT 1500011-

1 214/

not used for a long time.

- 1、为了达到话筒扩音最佳效果,请将咪头放置嘴正面前方1CM处对准咪头处发音,若有啸叫,可适当调小音量或将机器与咪头的距商稍微拉开,以防互相干扰;
- In order to achieve the best effect of microphone amplification, please place the head in front of the mouth at the front of the 1CM at the head of the pronunciation. If there is a howl, you can turn down the volume properly or the distance quotient between the machine and the head of the microphone is slightly removed to
- prevent interference.
  2、尽置避免频繁拨插麦克风插口,以免造成插口松动而引起接触不良,不可将话简和音源插错 尽void frequent plugging of microphone socket so as to avoid loosening the socket and causing poor contact. You should not insert the words simply or incorrectly into the sound source.

  3、为保证锂电池使用寿命,建议使用完再充电,频繁充电将加速电池芯片老化,长时间不用时应 每隔周充一次电 In order to ensure the service life of lithium battery, it is suggested that recharging is conducted after using up, because frequent charging will accelerate the aging of

the battery chip, and the battery should be recharged every two weeks when it is

的麻烦 Because the horn magnetic effect is strong, do not put the machine and the bank card and other magnetic things together, lest cause the loss of magnetism and cause unnecessary trouble 5、本产品所有配件皆按本机工作需要设计,如需更换配件尽置使用本公司原装配件,以达到最佳

4、因喇叭磁性效强,不可将机器和银行卡等带磁性的东西放一起,以免造成失磁而带来不必要

工作状态。 All the accessories of this product are designed according to the requirements of the machine. If we need to replace the accessories, we can use the original parts to achieve the best working condition. 如果电池更换不当会有爆炸危险,只能用同样类型或等效类型的电池来更换

There is a risk of explosion if the battery is not replaced properly, and only the same type or equivalent type of battery can be used to replace the battery ● 机器使用环境为-10℃-45℃,电池(电池包或组合电池)不得暴露在诸如日照、火烤或类似过 热环境中 The operating environment of the machine is -10 °C -45 °C, and the battery (battery pack or combination battery) shall not be exposed to such conditions as sunlight, fire or similar overheating. 电池具有污染性,请妥善处理报废电池和机器 Batteries are polluting, please dispose of end-of-life batteries and machines properly

常见问題的自我解决 Self-solving of frequently asked questions

1. 开关开启,扩音机没有声音 Switch on, amplifiers have no sound

A. 指示灯不亮, 电源没电, 充电解决

Light are not on, the power supply is out of power, charge to solve it

2、扩音器有明显啸叫 The loudspeaker has a distinct howl

A、确配戴话筒,将麦头记号处对准嘴角方向。

make sure you wear a microphone and point the mark at the corner of your mouth.

B. 空间变小时应话当调低音里以减少混响音里造成啸叫。 when the space becomes small, you should lower the voice appropriately in order to reduce the howling in reverberation.

产品保修须知

Product warranty instructions

为了让您更好的享受我公司的各项服务,请详细阅读以下内容:阿波罗科技产品的保修服务由全国各地的阿波罗科技授权技术服务中心负责提供。本产品自销售之日起计保修期和"三包"有效期,在"三包"有效期内。正常状态下使用本产品而发生故障,可依据"三包"规定予以维修、更换、退货。在产品保修期内,可依照本保修条款的内容,在阿波罗科技授权技术服务中心享受

无偿维修服务,(随机附件:USB线等,不在保修范围内)。本产品保修期限规定为一年。
To enable you to enjoy our services better, please read the following details: The warranty service for Apollo technology products is provided by the Apollo Technology Licensing Technical Service Center throughout the country. The warranty period and "three guarantees" validity period of this product start from the date of sales, within the "three guarantees" validity period. Failed to use this product under normal condition, the product can be repaired, replaced and returned according to the "three guarantees" requirement. During the product warranty period, according to the contents of this warranty, you can enjoy the free maintenance service at the Apollo Technology authorized Technical Service Center (Random Annex: USB line, etc., not covered by warranty). The warranty period of this product is one year.

在保修期(含 "三包"有效期)内以下情况将实施有偿维修服务,同时不享受 "三包" 服务 During the warranty period (including the validity of "three guarantees"), paid maintenance services will be implemented in the following circumstances, while not enjoying the "three guarantees" service

No original valid warranty card and limited invoice can be produced.
2) 购买产品日期、销售单位名称(盖章有效)等项目未能完整填写或涂改保修卡。
The date of purchase of the product, the name of the sales unit (valid seal) and othe

The date of purchase of the product, the name of the sales unit (valid seal) and other items are not fully completed or altered the warranty card.

3) 由于不可抗拒的自然灾害造成的故障、损伤。

Failures and injuries caused by irresistible natural disasters.
4) 在运输、搬卸过程中造成的故障、损伤。
Failure and damage caused by transportation and unloading.

不能出示有效保修卡原件和有限发票。

5) 由于未能按照《产品使用说明书》上所写的使用方法和注意事项操作而造成的人为故障。 The human failure caused by the failure to follow the usage methods and precautions written in the "Product usage instructions" 6)未经本公司授权地产品进行的拆卸、维修、改装而造成的故障。

6)末经本公司授权地产品进行的拆卸、维修、改装而造成的故障。
Failure caused by disassembly, maintenance and modification of products without the authorization of the Company.

需要保修时清将机器与本保修卡(原件)及购机凭证(复印件)一起送往阿波罗科技有限公司投权技术服务中心,运输费由用户承担。

需要保修时清将机器与本保修卡(原件)及购机凭证(复印件)一起送往阿波罗科技有限公司授权技术服务中心,运输费由用户承担。 When the warranty is required, the machine will be sent to the authorized Technical Service Center of Apollo Technology Co., Ltd together with this warranty card (original) and machine purchase certificate (photocopy), and the transportation fee will be borne by the user.

## 产品保修卡 Guarantee card

购买产品时,请认真填写此卡,并予以妥善保存。 Please fill in this card carefully and keep it properly.

用户档案

User file									
用户姓名 User name		性别 Gender		年龄 Age					
通讯地址 Communication address									
联系电话 Contact number				邮编 Zip code					
购买地点 Place of purchase									
购买日期 Purchase date			销售单号 Sales order number						
品名及规格 Title and specification			机身编号 Fuselage number	·					
经销商签名 Dealer signature			用户签名 User signature	·					

[产品标配] Standard product distribution

腰带1条 Belt

扩音器1台 Loudspeaker

USB电源线1条 USB power cord

说明书/保修卡1份 Copy of manual / warranty card

麦克风1条 Microphone 1

Microphone 1

备注:TF卡、U盘、USB充电头均属于选购配件,可根据需要另行购买. Remarks:TF card, U disk, USB charging head are optional accessories, can be purchased as needed





## 扫码关注官方微信,购买放心服务贴心

Scan the code to follow official WeChat. Purchase at ease and we provide caring service

官方网:www.aporo.cn web: site www.aporo.cn

产品标准: GB13837-2012, GB17625,1-2012, GB8898-2011

Product standards: GB13837-2012.GB17625.1-2012.GB8898-2011

制造商:深圳市金城伟业电子有限公司

Manufacturer: Shenzhen Jincheng Weive Electronics Co., Ltd. 地址:深圳市宝安区福永街道福园一路天瑞工业园A8栋8楼东

Address: Building 8 East, Tianrui Industrial Park A8, Fuyuan First Road, Fuyong Street, Baoan District, Shenzhen 电话:0755-29568556

Telephone: 0755-29568556

邮箱:help@aporo.cn E-mail:Help@aporo.cn

本说明书所示产品图片及文字功能已经详细核对。如出现印刷错漏。本公司不承相因此产生的后里。产品图片及详细功能参数请以实物为准

The product picture and text functions shown in this specification have been checked in detail. If there is a printing error, the company will not bear the consequences arising therefrom. The product picture and the detailed mother-of-law function parameters should be subject to the material object.

APORO商标及LOGO均已注册,受知识产权保护、未经本公司允许不得估置违者必究。

APOR0 trademark and LOGO have been registered, protected by intellectual property rights, no counterfeiting without the Company's permission, violators will be prosecuted.

本公司保留对产品更正改进的权利,届时恕不另行通知,在法律允许范围内,最终解释权归深圳市金城伟业电子有限公司所有。 We reserve the right to correct and improve our products without prior notice. To the extent permitted by law, the final interpretation right is vested in Shenzhen Jincheng Weive Electronics Co., Ltd.